



ICV Certifications Pvt. Ltd.
AN ISO 9001: 2015



**A Quality Product
For Quality Loving
People....**



Company Profile :

Established in the year 1992, We, "PRAGATI ENGINEERS" "RUPALI BRAND" are efficient manufacturer and supplier of food Processing Machinery. This product line is well reckoned for varied traits like robust construction, dimensional accuracy, intricate designing, cost effective prices. Our company have an ISO 9001:2015 certified.

Our firm hired professionals, who manufacture product line in compliance with customizes demands and requirements of our client base. We are at par in comparisons with our counterparts in this domain, due to efficient structure. we are equipped with state-of-the-art infrastructure, which includes manufacturing unit and warehousing unit. Our manufacturing unit is equipped with sophisticated tools and latest technology. We have sound warehousing facility, which is capable of storing and retrieving finished line in a most systematic manner. Our R&D unit is capable of including new changes in the wisting product line at earliest. Under the profound guidance of our mentor, Mr. Dilipbhai Patel we have gained us huge dient base in this domain. His huge domain expertise and vast knowledge have acclaimed us fixed niche in this domain. Our firm is specialized in offering patrons with genuine quality gamut within stipulated time period.

Pragati Engineers is a widely accomplished Exporter, Manufacturer & Supplier of a broad array of food processing goods used in hotels and restaurants. Based in Gujarat (India), our company was set up back in the year 1992. We have come a long way, since we came in the market more than two decades ago. Our product series comprises 2 In1 Multipurpose Machine, S.S. Live Steam Box, Food Products Machinery, Gravy Machine, M. S. Pulverizer, M.S. and S.S. Pulverizer, Dal Machine, Onion Cutter, Roti Making Machine, Vegetable Cutting Machine, Chilly Cutter, Farshan Machine to name a few. Our company has achieved a remarkable position in the industry with our domain expertise and in-depth knowledge.

Robust Infrastructure:

Our stable infrastructure is the lifeline of our company, which supports us immensely in every aspect. Pragati Engineers has an infrastructural base comprising a designing, manufacturing, quality control, packaging & warehousing units. All these units are segregated with different teams managing the same. All these units enable us to produce goods in bulk to satisfy our growing demand in the market. Thus, we can effectively meet the high demands of our prestigious dients in a timely manner. .

Quality Certificate:



Our company focuses its energy on satisfying its valued clientele by offering global quality standard. To give utmost satisfaction to our esteemed clients, the most essential part is to offer a quality based series of products. Thus, we follow strict quality checks to give flawless products for all kitchen processes. Our customers get the best advantages through our product series that helps our dients to get an even food materials cut in our fabricated machines.



1 HP REGULAR VEGETABLE CUTTING MACHINE

Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	8.1"
Cutting Chamber	8" x 3.5"
Average	200 to 250 Kg. / Hr.
L x W x H	21" x 11" x 22"
Weight	44 Kg.



1 HP DELUXE VEGETABLE CUTTING MACHINE

Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	8.1"
Cutting Chamber	8" x 3.5"
Average	200 to 250 Kg. / Hr.
L x W x H	21" x 11" x 33"
Weight	46 Kg.



2 HP VEGETABLE CUTTING MACHINE

Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	12"
Chamber Size	12" x 3.3"
Average	300 to 700 Kg. / Hr.
L x W x H	28" x 15" x 26"
Weight	72 Kg.



CHOPPING (BOWL CHOPPER) MACHINE

Body	S.S. 202
Bowl	S.S. 304
Motor	0.5 HP
Gear	Verum Gear
Average	60 Kg. / Hr.
L x W x H	22" x 16" x 21"
Weight	53 Kg.



1 HP CHILLY CUTTER MACHINE

Body	S.S. 202
Jali	S.S. 4 Nos.
Cutting Chamber	Aluminum
Motor	1 HP - 960 R.P.M.
Cutting Chamber	6" x 3"
Average	40 to 70 Kg./Hr.
L x W x H	20" x 14" x 21"
Weight	28 Kg.



2 HP CHILLY CUTTER MACHINE

Body / Blade	S.S. 202
Jali	S.S. 4 Nos.
Motor	2 HP - 1440 R.P.M.
Cutting Chamber	8.5" x 4"
Output	960 R.P.M.
Average	180 to 275 Kg./Hr.
L x W x H	23" x 17" x 29"
Weight	53 Kg.



DRY FRUIT CHIPS & POWDER

Body	S.S. 202
Die	2-Aluminum
Blade	H.S.S.
Moter	1 HP - 960 R.P.M.
Average	13 to 25 Kg. / Hr.
L x W x H	22" x 16" x 20.5"
Weight	28 Kg.



DRY FRUIT TUKDA MACHINE

Body	S.S. 202
Motor	1 HP
Gear Box	Verum
Output	200 R.P.M.
Beater	M.S.
Chamber	Aluminum
Jali	3 - S.S. 202
Average	20 to 40 Kg. /Hr.
L x W x H	17" x 13" x 22"
Weight	38 Kg.



ONION SLICER MACHINE

Body	S.S.
Rotar	Aluminum
Motor	1 HP
Average	100 Kg. / Hr.
L x W x H	25" x 12" x 24"
Weight	40 Kg.



5" 1 HP GRAVY MACHINE

Body	S.S. 202
Chamber	5" x 3"
Motor	2800 R.P.M.
Beater	SS 202
Jali	5 S.S. 202
Average	10 to 25 Kg. /Hr.
L x W x H	19" x 13" x 19"
Weight	28 Kg.



6" 2 HP GRAVY MACHINE

Body	S.S. 202
Chamber	6" x 3.4"
Motor	2800 R.P.M.
Beater	S.S. 202
Jali	5 S.S. 202
Average	30 to 60 Kg./Hr.
L x W x H	20" x 16" x 26.5"
Weight	35 Kg.



8" 2 HP GRAVY MACHINE

Body	S.S. 202
Chamber	8" x 4"
Motor	2800 R.P.M.
Beater	S.S. 202
Jali	5 S.S. 202
Average	45 to 75 Kg./Hr.
L x W x H	19" x 18" x 24.5"
Weight	39 Kg.



9" 3 HP GRAVY MACHINE

Body	S.S. 202
Chamber	9" x 4"
Motor	2800 R.P.M.
Beater	SS 202
jali	5 SS 202
Average	45 to 90 Kg./HR..
L x W x H	23" x 17" x 29"
Weight	43 Kg.



12" 5 HP (THREE PHASE) GRAVY MACHINE

Body	S.S.202
Cutting Chamber	12" x 4"
Motor	2800 R.P.M.
Beater	SS 202
Jali	4 S.S. 202
Average	70 to 150 Kg./Hr.
L x W x H	23" x 17" x 30"
Weight	71 Kg.



2 HP S.S. E-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	9" x 5" Aluminum
Hoper	7 Kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	7 SS 202
Ampere	10 to 12
Average	7 to 12 Kg./Hr.
L x W x H	24.5" x 12" x 33"
Weight	46 Kg.



3 HP S.S. E-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	10" x 5.2" Aluminum
Hoper	10 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	10 to 12
Average	11 to 16 Kg./Hr.
L x W x H	26.5" x 17" x 38"
Weight	51 Kg.



2 HP S.S. A-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	10" x 5.2" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	15 to 30 Kg./Hr.
L x W x H	24" x 20" x 45"
Weight	80 Kg.



3 HP S.S. A-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	10" x 6.4" Aluminum
Hoper	18 Kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	22 to 40 Kg./Hr.
L x W x H	24" x 20" x 45"
Weight	89 Kg.



5 HP S.S. A-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	11" x 6.4" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	36 to 80 Kg./Hr.
L x W x H	27" x 22" x 50"
Weight	98 Kg.



7.5 HP DOUBLE CHAMBER S.S. FLOUR MILL

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.1 Amps.
Max Load Amp	16 Amps.
Motor	2880 R.P.M.
Average	65 to 300 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	170 Kg.

10 HP DOUBLE CHAMBER S.S FLOUR MILL

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.6 Amps.

Max Load Amp	17 Amps.
Motor	2880 R.P.M.
Average	80 to 400 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	190 Kg.



7.5 HP DOUBLE CHAMBER S.S. FLOUR MILL WITH CYCLONE AND BLOWER

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.1 Amps.

Max Load Amp	16 Amps.
Blower Motor	1 HP 2880 R.P.M.
Cyclone Size	36" x 75"
Average	65 to 300 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	242 Kg.





10 HP DOUBLE CHAMBER S.S. FLOUR MILL WITH CYCLONE AND BLOWER

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.6 Amps.

Max Load Amp	17 Amps.
Blower Motor	1 HP 2880 R.P.M.
Cyclone Size	36" x 75"
Average	80 to 400 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	262 Kg.



2 HP M.S. A-CLASS FLOUR MILL

Body	M.S.
Cutting Chamber	10" x 5.2" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	15 to 30 Kg./Hr.
L x W x H	24" x 20" x 42"
Weight	79 Kg.



3 HP M.S. A-CLASS FLOUR MILL

Body	M.S.
Cutting Chamber	10" x 6.4" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	22 to 40 Kg./Hr.
L x W x H	24" x 20" x 42"
Weight	85 Kg.



5 HP M.S. A-CLASS FLOUR MILL

Body	M.S.
Cutting Chamber	10" x 6.4" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	36 to 80 Kg./Hr.
L x W x H	27.5" x 21" x 48"
Weight	97 Kg.



7.5 HP MS DOUBLE CHAMBER PULVERISER (WITHOUT MOTOR)

Body / Stand / Liner	M.S.
Inner Drum	8.5" x 3.5" M.S.
Outer Drum	10.5" x 4.5" M.S.
Hopper	35 kg.
Belt	B 54
Beater	S.S. 202
Jali / Screen	6 Nos. (M.S)
Pulley	4"
Motor Pulley	9"
Average	70Kg. to 300 Kg./Hrs.
L x W x H	54 x 22.25 x 44
Weight	157 Kg.



10 HP MS DOUBLE CHAMBER PULVERISER (Without Motor)

Body / Stand / Liner	M.S.
Inner Drum	8.5" x 3.5" M.S.
Outer Drum	12.5" x 5.5" M.S.
Hopper	35 kg.
Belt	B 54
Beater	S.S. 202

Jali / Screen	6 Nos. (M.S)
Pulley	4"
Motor Pulley	9"
Average	90Kg. to 400 Kg./Hrs.
L x W x H	54 x 22.25 x 44
Weight	172 Kg.

M.S. PULVERIZER (WITHOUT MOTOR)



Body / Foundation		M.S.				
Beater		Hammer				
Drum		M.S.				
M/C Pulley		3.5"				
Motor Pulley		9"				
Motor R.P.M.		1440				
Jali		6 Nos. (M.S)				
Model	Motor	L x B x H	Weight	Average (Kg./Hr.)	Hopper	
8"	2 HP	23"x16"x33"	53 Kg.	12 to 30	13Kg.	
10"	3 HP	23"x18.5"x34"	58 Kg.	20 to 50	13Kg.	
12"	5 HP	27"x18"x39"	60 Kg.	30 to 80	17Kg.	

PULVERIZER (WITHOUT MOTOR)



Foundation		M.S.		
Hopper		S.S. 202 - 12 Kg.		
Beater		M.S.		
Drum		Aluminum		
M/C Pulley		3.5"		
Motor Pulley		9"		
Motor R.P.M.		1440		
Jali		8 Nos. (M.S)		
Model	Motor	L x B x H	Average (Kg./Hr.)	Weight
10x5.2	2 HP	27"x18"x41"	15 to 30	56 Kg.
10x6.4	3 HP	27"x18"x41"	22 to 40	58 Kg.
11x6.4	5 HP	27"x18"x45"	36 to 80	60 Kg.

M.S. & S.S. PULVERIZER (Without Motor)



Foundation		M.S.				
Hopper		S.S. 202 - 8 Kg.				
Beater		S.S. 202				
Drum		S.S. 202				
M/C Pulley		3.5"				
Motor Pulley		9"				
Motor R.P.M.		1440				
Jali (S.S. 202)		9"-5 Nos. / 12"-4 Nos.				
Model	Motor	L x B x H	Weight	Average (Kg./Hr.)		
9"	3 HP	25"x18"x31"	46 Kg.	45 to 90		
12"	5 HP	24"x18"x36"	56 Kg.	70 to 150		

SPICES (MASALA) GRINDING BLOWER PULVERIZER (Without Motor)



Foundation		M.S.		
Beater		M.S. Hammer		
Machine R.P.M.		3600		
Motor R.P.M.		1440		
Jali		4 Nos. (M.S)		
Model	Chamber	L x B x H	Average (Kg./Hr.)	
2 HP	4"x8"x5mm	33"x23"x46"	20	
3 HP	5"x10"x5mm	28"x23"x46"	30	
5 HP	6"x12"x5mm	48"x30"x60"	50	



VIBRO SHIFTER MACHINE

Screen Dia-Meter	24"
Screen (WireMess) Material	S.S. 304
Foundation	M.S.
Spring	6 Pcs.
Ele. Motor Base	Flange Motor
Ele. Motor Type	Vibro Ele. Motor
Motor Standard	ISI, ISO
HP	0.5 HP
Phase	Three Phase
Motor	1440 R.P.M.
Top Structure Material	S.S. 304



U-TYPE ATTA MIXING MACHINE

Body		S.S. 202			
Bowl / Rotor		S.S. 304			
Model	Body	L x B x H	Weight	Motor	Average (K.g)
1 Ft.	S.S. 202	30"x25"x26"	45 Kg.	0.5 HP	2-4
1.5 Ft.	S.S. 202	30"x26"x27"	54 Kg.	1 HP	4-8
2 Ft.	S.S. 304	54"x25"x40"	190 Kg.	1.5 HP	10-30
3 Ft.	S.S. 304	66"x25"x45"	210 Kg.	2 HP	15-60
5 Ft.	S.S. 304	91"x 31"x48"	370 Kg.	3 HP	20-80



DHOKLA STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
Tray Size	14" x 18" x 1.25"	
Tray Capacity	1.5 Kg.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 35"	39 Kg.
8 Tray	24" x 25" x 39"	45 Kg.
10 Tray	23.5" x 24.5" x 44"	50 Kg.
12 Tray	23.5" x 24.5" x 48"	56 Kg.



NYLON KHAMAN STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
Tray Size	14" x 18" x 2.5"	
Tray Capacity	2.5 Kg.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 40"	42 Kg.
8 Tray	24" x 25" x 47"	47 Kg.
10 Tray	24" x 25" x 53"	55 Kg.
12 Tray	24" x 25" x 60"	63 Kg.



IDLI STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
Tray Size	14" x 18"	
Tray Capacity	12 Nos.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 35"	39 Kg.
8 Tray	24" x 25" x 39"	45 Kg.
10 Tray	23.5" x 24.5" x 44"	46 Kg.
12 Tray	23.5" x 24.5" x 48"	51 Kg.



DEEP FRYER KADAI

Body	S.S. 202
Kadai	S.S. 202
Coils	2 Nos. (4000 Wt.)
Kadai Size	24"
Cap	20 Ltr.
L X W X H	29" x 29" x 32"
Weight	31 kg.



7" FARSHAN (NAMKIN) MACHINE

Motor	0.75 HP
Body	S.S. 202
Rotor	S.S. 202
Jali	10 M.S.
Back Cover	S.S. 202
Gear Cover	S.S. 202
Average	15 to 20 Kg./Hr.
L X W X H	38" x 11" x 33"
Weight	54 Kg.



9" FARSHAN (NAMKIN) MACHINE

Motor	1 HP
Body	S.S. 202
Rotor	S.S. 202
Jali	10 M.S.
Back Cover	S.S. 202
Gear Cover	S.S. 202
Average	22 to 35 Kg./Hr.
L X W X H	45.5" x 14" x 36"
Weight	80 Kg.



FAFDA MACHINE (Regular Model)

Motor	0.25 HP
Body	SS 202
Roller	Teflon
Drum	Aluminum
Average	20 Kg./Hr.
L X W X H	14" x 9" x 16"
Weight	21 Kg.



FAFDA MACHINE (Jumbo Model)

Motor	0.5 HP
Body	SS 202
Roller	Teflon
Drum	Aluminum
L X W X H	20" x 10" x 16"
Average	30 Kg./Hr.
Weight	40 Kg.



NAMKEEN COATING PAN

Body	S.S. 202
Gear	Verum
Drum	S.S. 304
Output R.P.M.	45 R.P.M.

Model	Body	Motor	L x B x H	Weight	Average (Kg. / Hr.)	Depth/Dia	M/C RPM
Small	S.S. 202	1 HP	29"x31"x27"	75 Kg.	5 to 10	18"/15.5"	76
Medium	S.S. 202	1 HP	30"x32"x28"	85 Kg.	10 to 20	18"/18"	76
Large	S.S. 304	1.5 HP	37"x22"x32"	175 Kg.	20 to 40	32"/32"	45

FARSHAN MIXING MACHINE

Body	S.S. 202
Bowl & Rotor	S.S. 304
Output R.P.M.	45 R.P.M.
Bowl BxH	2Ft. x 2Ft.

Model	Body	Motor	L x B x H	Weight	Average (Kg. / Hr.)
1 Ft.	S.S. 202	0.5 HP	30"x21"x46"	45 Kg.	2 to 4
1.5 Ft.	S.S. 202	0.75 HP	35"x19"x27"	52 Kg.	4 to 8
2 Ft.	S.S. 202	1 HP	49"x26"x40"	150 Kg.	10 to 30
3 Ft.	S.S. 202	2 HP	61"x26"x40"	200 Kg.	15 to 60
5 Ft.	S.S. 304	3 HP	90"x26"x40"	250 Kg.	20 to 80



RECTANGULAR FRYER - DIESEL (110 TO 140 LTR.)

Body	S.S. 202
Pan Size	22" x 46"
Power	3.25 HP
Machine Type	Full Automatic
Kurkure & Fryums	250 Kg. /Hr.
Potato Wafer	50 to 55 Kg. /Hr.
Banana Wafer	50 to 55 Kg. /Hr.
Moong Dal	100 to 120 Kg. /Hr.
Chana Dal	120 to 150 Kg. /Hr.
L x W x H	100" x 60" x 85"
Weight	460 Kg.



POWDER MASALA MIXER MACHINE (2/3/5 FEET)

Body		S.S. 202		
Bowl / Rotor		S.S. 304		
Model	L x B x H	Weight	Motor	Average (K.g)
2 Ft.	54"x25"x40"	190Kg.	1.5 HP	10-30
3 Ft.	66"x25"x45"	210Kg.	2 HP	15-60
5 Ft.	91"x31"x48"	370Kg.	3 HP	20-80



FINGER CHIPS MACHINE

Body	C.I.
Blade	S.S. 202
L x B x H	20" x 6" x 9"
Weight	15 Kg.

DEEP FRYER

Model	Weight	Length	Width	Height
2 Ltr. Electric	6	17	7	14
5 Ltr. Electric	7	19	11	12
5 Ltr. Ele.+Gas	8	19	12	15
14 Ltr. Ele.+Gas	15	27	19	19
5 Ltr. Double T/Top	11	24	21	15
5 Ltr. Double With Stand	22	24	21	37



POTATO PEELER MACHINE

	Body		S.S. 202		
	Motor		1440 R.P.M.		
	M/C		360 R.P.M.		
Kg.	Kg./Hr.	Batch Time	Motor	L x B x H	Weight
5	80	2-3 Min.	0.75 HP	22"x14"x16"	37
10	120	3-5 Min.	1 HP	24"x16"x32"	52
15	180	5-7 Min.	1 HP	29"x18"x36"	68
20	240	7-10 Min.	1.5 HP	29"x18"x40"	74
30	360	10-12 Min.	2 HP	34"x21"x43"	100
50	600	12-15 Min.	3 HP	37"x27"x45"	120



POTATO WAFER / SLICER MACHINE

Body	S.S. 202
Foundation	M.S.
Cutting Chamber	Aluminum
Die	3 Nos.
Blade	H.S.S. (Lachha, Line, Plain)
Motor	1 HP 1440 R.P.M.
Output R.P.M.	800 R.P.M.
Average	150-200 Kg./Hr.
L x W x H	19" x 13" x 26"
Weight	47 Kg.



HEAVY DUTY POTATO WAFER MACHINE

Body	S.S. 202
Foundation	M.S.
Cutting Chamber	Aluminum
Die	3 Nos. 15"
Blade	H.S.S. (Lachha, Line, Plain)
Motor	3 HP 1440 R.P.M.
Output R.P.M.	755 R.P.M.
Average	600 Kg./Hr.
L x W x H	33" x 32" x 44"
Weight	90 Kg.

BANANA WAFER MACHINE

Body	S.S. 202
Foundation	M.S.
Cutting Chamber	Aluminum
Die	3 Nos.
Blade	H.S.S. (Round, Capsule, Belt)
Motor	1 HP 960 R.P.M.
Average	80 to 125 Kg./Hr.
L x W x H	35" x 13" x 25"
Weight	43 Kg.



FINGER CHIPS AUTOMATIC MACHINE

Body	S.S. 202
M/C	360 R.P.M.
Jali & Cutter	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	40 to 50 Kg.
L x B x H	S.S.
Weight	52 Kg.

DRYER MACHINE (REGULAR / TILTING)

Body	S.S. 202
Bucket (Filter)	S.S. 304
Motor	1440 R.P.M.
Motor Pulley	2.5"

Model	Type	Batch Time	Depth / Dia.	Output R.P.M.	Weight	L x B x H	Motor
10 Kg.	Regular	2-3 Min.	10.5" / 14"	600	77 Kg.	35"x25"x30"	1 HP
15 Kg.	Tilting	3-5 Min.	10" / 14.5"	450	87 Kg.	35"x28"x25"	1 HP
30 Kg.	Tilting	5-7 Min.	15.5" / 15.5"	450	100 Kg.	30"x36"x40"	1.5 HP
50 Kg.	Tilting	7-10 Min.	22" / 15.5"	450	130 Kg.	36"x37"x40"	2 HP





DOUGH BALL CUTTING MACHINE

Body	S.S. 202
Motor	0.5 HP - CROMPTON / GODREJ
Ball Size	10 gm - 65 gm
Average	1000 to 3000 Pcs. / Hr.
L x W x H	34" x 16" x 30"
Weight	50 Kg. Approx



ROTI (CHAPATI) PRESSING MACHINE

Body	S.S. 202
Motor	1 HP - CROMPTON / GODREJ
Pressing Plate	Ceramic
Chapati Thickness	1mm to 5mm
Chapati Size	2 inch to 8.5 inch
Pressing Heater	1500 watt (2 heater)
Power Supply	220 V
Average	900 to 1000 Pcs. / Hr.
L x W x H	29" x 16" x 19"
Weight	100 Kg. Approx



AUTOMATIC CHAPATI MACHINE

Body	Contact Parts : SS 304
Motor	1 HP - CROMPTON / GODREJ
Pressing Plate	Ceramic
Chapati Thickness	1mm to 5mm
Chapati Size	2 inch to 8.5 inch
Gas Consumption	2 to 2.25 kg per hr
Power Supply	220 V
Electric Consumption	2 unit per hr
Pressing Heater	1500 watt (2 heater)
Power Supply	220 V
Average	900 TO 1000 Chapati / Hr.
L x W x H	74" x 29" x 60"
Weight	300 Kg. Approx



DOUGH KNEADER (2 Kg.)

Body, Rotor & Gear Cover	S.S. 202
Bowl	S.S. 202
Bowl Size	9.5" x 6.5"
Motor	0.25 HP
Output RPM	76
Batch Time	4 Min.
L X W X H	15" x 13" x 18"
Weight	16 Kg.



DOUGH KNEADER (5 Kg.)

Body, Rotor & Gear Cover	S.S. 202
Bowl	S.S. 202
Bowl Size	15" x 9.1" (One Piece)
Motor	0.5 HP
Output RPM	76
Batch Time	4 Min.
L X W X H	30" x 15" x 23"
Weight	43 Kg.



DOUGH KNEADER (10 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	19" x 13" (One Piece)
Motor	1 HP
Output	45 R.P.M.
Gear	Crown Premium
Batch Time	5 Min.
L X W X H	25" x 21" x 46"
Weight	100 Kg.



DOUGH KNEADER (15 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	20.5" x 13"
Motor	1 HP
Output	45 R.P.M.
Gear	Crown Premium
Batch Time	5 Min.
L X W X H	41" x 23" x 35"
Weight	118 Kg.



DOUGH KNEADER (20 Kg.)

Body	M.S.,
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	22" x 15"
Motor	1.5 HP
Output	45 R.P.M.
Gear	Crown Premium
Batch Time	5 Min.
L X W X H	41" x 24" x 39"
Weight	125 Kg.



DOUGH KNEADER (25 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	24" x 15"
Motor	1.5 HP
Output	45 R.P.M.
Gear	Crown Premium
Batch Time	6 Min.
L X W X H	42" x 25" x 40"
Weight	133 Kg.



DOUGH KNEADER (30 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	25.5 x 15"
Motor	2 HP
Output	45 R.P.M.
Gear	Crown Premium
Batch Time	7 Min.
L X W X H	44" x 26" x 40"
Weight	140 Kg.



DOUGH KNEADER (40 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	27.5" x 18"
Motor	3 HP
Output	40 R.P.M.
Gear	Crown Premium
Batch Time	8 Min.
L X W X H	50" x 25" x 38"
Weight	175 Kg.



DOUGH KNEADER (50 Kg.)

Body	M.S.
Bowl	S.S. 202
Rotor, Gear Cover, Need Patti	S.S. 202
Bowl Size	28 x 19"
Motor	3 HP
Output	40 R.P.M.
Gear	Crown Premium
Batch Time	8 Min.
L x W x H	50" x 27" x 39"
Weight	185 Kg.



TAPELA TYPE ATTA MIXING MACHINE (5-10-15 Kg.)

Body / Need Patii	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S.		
Batch Time	5 Min		
Motor	1440 R.P.M.		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
5 Kg.	25" x 18" x 35"	85 Kg.	0.5 HP
10 Kg.	23" x 21" x 46"	93 Kg.	1 HP
15 Ka.	27" x 21" x 46"	110 Kq.	1 HP



TAPELA TYPE ATTA MIXING MACHINE (20-30-50 Kg.)

Body / Need Patii	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S. 202		
Batch Time	5 Min		
Motor	1440 R.P.M.		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
20 Kg.	35" x 25" x 40"	100 Kg.	1.5 HP
30 Kg.	40" x 30" x 45"	107 Kg.	2 HP
50 Kg.	45" x 35" x 52"	130 Kg.	3 HP



L-TYPE KHICHIYA MACHINE (5-10-15 Kg.)

Body	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S. 202		
Motor	1440 R.P.M.		
Batch Time	5 Min		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
5 Kg.	25" x 18" x 37"	97 Kg.	1 HP
10 Kg.	29" x 30" x 39"	105 Kg.	1 HP
15 Kg.	32" x 20" x 40"	110 Kg.	1 HP



L-TYPE KHICHIYA MACHINE (20-30-50 Kg.)

Body / Need Patii		S.S. 202	
Bowl		S.S. 202	
Gear Cover,		S.S. 202	
Motor		1440 R.P. M.	
Batch Time		5 Min	
Gear		Crown Premium	
Model	L x B x H	Weight	Motor
20 Kg.	35" x 25" x 42"	115 Kg.	1.5 HP
30 Kg.	40" x 30" x 47"	125 Kg.	2 HP
50 Ka.	45" x 24" x 55"	150 Kg.	3 HP



ROASTING MACHINE (TILTING)

Body	S.S. 202
Full Body	40" x 52" x 58"
Bowl	21" x 21" x 25"
Gas Burner	2 Nos. 12 Inch
Motor	1 HP
Motor Speed	1440 R.P.M.
Bowl R.P.M.	16
Weight	200 Kg.
Average	15 to 20 Kg./Batch
Gear	Verem Gear



MAWA (KHOA) MACHINE

Body & Bowl	S.S. 304		
Motor	1440 R.P.M.		
Output	250 R.P.M.		
Model	L x B x H	Weight	Motor
55 Ltr.	47"x26"x32"	135 Kg.	0.5 HP
110 Ltr.	50"x27"x39"	210 Kg.	1 HP
55 Ltr. Tilting	52"x26"x56"	160 Kg.	0.5 HP
110 Ltr. Tilting	57"x32"x60"	235 Kg.	1 HP

HALVA MACHINE

Bowl	S.S. 304
Body & Gear Cover	S.S. 202
Gear	Verum
Output	50 R.P.M.
Gas Burner	2 Nos.



MUSTI MACHINE

Bowl	S.S. 202
Bowl Dia.	28"
Bowl Depth	10"
Bowl Thickness	6 mm
Body	C.I.
Gear Cover	S.S. 202
Gear	Verum
Motor	2 HP
Output	55 R.P.M.
Teflon Bars	3 Nos. - 35 mm
Average	15 Kg. / 15 Min.
Weight	165 Kg.
L x B x H	39" x 34" X 47"

SUGARCANE JUICER

Body	S.S. 202
Roller	S.S. 304
Motor	1.5 HP - 1440 R.P.M.
M/C	14 R.P.M.
Type	Italian Design Gear Box
System	Single Time Crushing Give All Amount of Juice
Average	200-250 Glass/Hr.
L x B x H	23" x 18" x 21.5"
Weight	65 Kg.





WET DAL MACHINE

Body / Hopper		S.S. 202	
Chamber		C.I.	
Model	L x B x H	Weight	Motor
6" Plate	21" x 13" x 32"	58 Kg.	1.5HP
8" Plate	-	105 Kg.	2 HP



GARLIC PEELER MACHINE

Body	S.S. 202
Motor	0.25 HP
Average	10 to 12 Kg.Hr.
Size	22" x 9" x 23"
Weight	15 Kg.



LADDU CRUSHER MACHINE

Body	S.S. 202
M/C	360 R.P.M.
Jali	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	50 to 70 Kg.
L x B x H	15" x 16.50" x 32"
Weight	42 Kg.



CHATNI MACHINE MEAT MINCER MACHINE

Body	M.S.
M/C	360 R.P.M.
Jali & Cutter	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	40 to 50 Kg.
L x B x H	18" x 14" x 25.50"
Weight	52 Kg.



PIZZA OVEN

Body		S.S. 202			
Source		ELECTRIC			
Model	Weight	Length	Width	Height	Capacity
10x16	19	27	16	14	4 Pizza
12x18	19	29	18	15	6 Pizza
18x18	19	29	24	15	8 Pizza
18x24	19	35	24	15	10 Pizza
24x24	19	36	31	15	12 Pizza



SANDWICH GRILLER

Body	S.S. 202		
Source	ELECTRIC		
Heater	1100 Watt		
Model	Plate Size	Weight	Capacity
Single	11" x 12"	8 Kg.	4 Pcs.
Double	11" x 12"	15 Ka.	8 Pcs.



OIL EXPELLER (400 WATT)

Body & Rotor	S.S. 304
Motor	0.25 HP
Motor	1440 R.P.M.
Output	56 R.P.M.
Application	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	1 Kg. to 5Kg. / Hrs.
L x W x H	20" x 8" x 10"
Weight	12 Kg.



OIL EXPELLER (800 WATT)

Body & Rotor	S.S. 304
Motor	0.5 HP
Motor	1440 R.P.M.
Output	68 R.P.M.
Application	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	5 Kg. to 7Kg. / Hrs.
L x W x H	19" x 8" x 15"
Weight	16 Kg.



OIL EXPELLER (1200 WATT)

Body & Rotor	S.S. 304
Motor	0.8 HP
Motor	1440 R.P.M.
Output	72 R.P.M.
Application	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	8 Kg. to 10Kg. / Hrs.
L x W x H	22" x 8.5" x 18"
Weight	40 Kg.



OIL EXPELLER (1600 WATT)

Body & Rotor	S.S. 304
Motor	1 HP
Motor	1440 R.P.M.
Output	72 R.P.M.
Application	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	10 Kg. to 12Kg. / Hrs.
L x W x H	25" x 9.5" x 21.5"
Weight	45 Kg.



HEAVY DUTY MIXER GRINDER

Body - Cutter	S.S. 202
Motor	0.5 H.P. - 2880
Jar	2.5 Ltr. S.S. 202
L x W x H	9" x 10" X 18.5"
Weight	10 Kg.



HEAVY DUTY MIXER GRINDER

Body - Cutter	S.S. 202
Motor	1.5 H.P. - 2880
Jar	5Ltr. S.S. 202
L x W x H	8" x 11" X 21"
Weight	30 Kg.



HEAVY DUTY MIXER GRINDER

Body - Cutter	S.S. 202
Motor	2 H.P. - 2880
Jar	10 Ltr. S.S. 202
L x W x H	8" x 13" X 21"
Weight	33 Kg.



HEAVY DUTY MIXER GRINDER

Body - Cutter	S.S. 202
Motor	3 H.P. - 2880
Jar	14Ltr. With Pipe & Valve
L x W x H	13.5" x 15" X 37"
Weight	45 Kg.



TILTING MIXER (HEAVY DUTY)

Body - Cutter	S.S. 202
Motor	1.5 H.P. - 2880
Jar	5 Ltr. S.S. 202
L x W x H	22" x 15" X 35"
Weight	38 Kg.



TILTING MIXER (HEAVY DUTY)

Body - Cutter	S.S. 202
Motor	2 H.P. - 2880
Jar	10Ltr. S.S. 202
L x W x H	22" x 15" X 40"
Weight	41 Kg.



TILTING MIXER (HEAVY DUTY)

Body - Cutter	S.S. 202
Motor	3 H.P. - 2880
Jar	14 Ltr. S.S. 202
L x W x H	22" x 17" X 46"
Weight	49 Kg.



MINI RICE MILL

Body	M.S.
Motor	3 H.P. - 2880 R.P.M.
Hopper	10 Kg.
Spindle Speed	1200 R.P.M.
Average	60 to 70 Kg. / Hr.
L x W x H	30" x 17" X 45"
Weight	50 Kg.



BAIN MARIE



Model	Size (LxWxH)	Weight
4 BOWL	24" x 24" x 32"	20.4 Kg.
6 BOWL	24" x 26" x 32"	30.0 Kg.
8 BOWL	24" x 48" x 32"	36.4 Kg.
10 BOWL	24" x 60" x 32"	42.0 Kg.
12 BOWL	24" x 72" x 32"	47.5 Kg.



MANCHURIAN BALL MAKING MACHINE

Type	Manual
Material	S.S. 202
L x W x H	47" x 38" x 45"
Weight	24 Kg.

:: OUR STRENGTH ::



RK
FOOD MACHINERY
Mfg. : Food Processing Machineries

+91 93162 58947, +91 90230 42923
Sr. No. 43, Nr. Punitnagar Bus Station,
Nr. Jackgone Co., 150 Feet Ring Road,
RAJKOT, GUJARAT, INDIA.
rkfoodmachinery8@gmail.com

